D

T

N

T

P.S.C. No. 10, Sixth Revised Sheet No. 80.0006 Canceling P.S.C. No. 10, Fifth Revised Sheet No. 80.0006

Cogeneration and Small Power Production Power Purchase Rate Schedule Co-located Qualifying Facility Sized Less Than 100kW

Availability

Available only to qualified cogeneration ("CoGen") or small power production ("SPP") Qualifying Facilities ("QF") that are co-located with the retail member such that it is connected behind the retail member's meter and supplies energy directly to the retail member, offsetting the retail member's grid-supplied energy consumption, and injecting any energy that exceeds the retail member's load. A retail member is the member of one of EKPC's Owner-Member Cooperatives. As such, the QF is deemed to be providing "as available" energy to the electric grid and must have executed a contract with EKPC and the EKPC Owner-Member Cooperative ("Cooperative") in whose service territory it is located for the purchase of energy by EKPC. Net capacity is the highest possible MW output from the QF including hybrid QFs that co-locate a generation resource with an energy storage system.

Rates

- Capacity The QF is providing EKPC only the energy that exceeds the retail member's consumption, or "as available" energy. The QF does not supply capacity, and, thus, is not eligible to receive a capacity payment.
- 2. Energy The retail member will be credited monthly for the "as available" energy produced by the QF and delivered to the Cooperative's distribution system at the value of the real-time locational marginal price for energy set by PJM Interconnection, L.L.C. ("PJM") at the EKPC zonal node during each hour of the day at the time of delivery. The payments will be offset by a market administration fee of \$0.00014 per kWh to cover EKPC's market participation costs.

Terms and Conditions

- 1. A QFs "as available" energy will be sold only to EKPC. Payment for "as available" energy will be provided to the retail member via check or a bill credit.
- 2. QF must provide good quality electric power within a reasonable range of voltage, frequency, flicker, harmonic currents, and power factor.
- A QF shall design, construct, install, own, operate, and maintain the QF in accordance with all applicable codes, laws, regulations, and general accepted utility practices, including, IEEE 1547 standard.
- 4. A QF shall pay EKPC and Cooperative for all costs incurred as a result of interconnecting with the QF, including but not limited to, operation, maintenance, administration, special metering, and billing.

5. For interconnection to a radial distribution circuit, the aggregated generation on the circuit, including the proposed QF, shall not exceed 15% of the line section's most recent annual one-hour peak load. A line section is the smallest part of the primary distribution system the QF could represent to after operation of any sectionalizing devices.

PUBLIC SERVICE COMMISSION

Linda C. Bridwell Executive Director

DATE OF ISSUE: DATE EFFECTIVE: January 27, 2025 February 1, 2025

ISSUED BY:

President & CEO

EFFECTIVE

2/1/2025

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

Issued by authority of an Order of the Public Service Commission of KY In <u>Case No. 2024-00101</u>. Dated: <u>January 17, 2025</u>.

T D

P.S.C. No. 10, Original Sheet No. 80.0007 Canceling P.S.C. No. 10, Sheet No. _____

Co-located Qualifying Facility Sized Less Than 100kW (continued)

- If the QF is to be interconnected on a single-phase shared secondary, the aggregate generation capacity, including the proposed QF, will not exceed the smaller of 20 kVA or the nameplate rating of the transformer.
- 7. If the proposed QF is single-phase and is to be interconnected on a center tap neutral of a 240 volt service, its addition shall not create an imbalance between the two sides of the 240 volt service of more than 20% of the nameplate rating of the service transformer.
- 8. Cooperative will install, at the utility's expense, a bi-directional meter capable of communicating with the metering system of the utility. Any additional meter communication equipment, special meters, or distribution upgrades needed to monitor the flow in each direction shall be installed at the retail member's expense.
- 9. QFs co-located with a retail member's load proposing to supply "as available" energy shall not be entitled to a capacity payment.
- 10. QFs must meet the definition set forth in 807 KAR 5:054 to be eligible for this tariff.
- Updated rates will be filed with the Public Service Commission of Kentucky ("Commission") by March 31 of each year.
- 12. Retail member shall submit an Application for Interconnection found at www.ekpc.coop/cogeneration-applicants and receive approval from EKPC and Cooperative prior to connecting to the power grid. EKPC and Cooperative may deny approval of the Application for Interconnection if either of them determines the QF cannot be safely connected to the Cooperative's power grid, or if the system fails the Terms & Condition set forth in this tariff or the Application for Interconnection. Additional Terms and Conditions may apply.
- A QF shall not supply electric energy to a retail member unless it is owned and operated by the retail member.

KENTUCKY
PUBLIC SERVICE COMMISSION

Linda C. Bridwell Executive Director

DATE OF ISSUE: DATE EFFECTIVE: January 27, 2025 February 1, 2025

ISSUED BY:

President & CEO

EFFECTIVE

2/1/2025

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

Issued by authority of an Order of the Public Service Commission of KY In <u>Case No. 2024-00101</u>. Dated: <u>January 17, 2025</u>.

Member-Supplied Renewable Energy

Application for Interconnection

100kW or Less from Co-located Qualifying Facility

If you have questions regarding this Application or its status, email questions to Member-Supplied-Renewable-Energy@ekpc.coop

Member Name:	Account Number	<u> </u>		
Member Address:				
Member Phone No.: M	ember E-Mail Address:			
Project Contact Person:				
Phone No.: E-	-mail Address:			
Provide names and contact information f involved in the design and installation of th ("QF"):	ne generating facility, als	so known as Qualifying Facility		
Energy Source: Solar Wi				
Type of Generator: Inverter-Based	Synchronous	Induction		
Is invertor certified to UL 1741: No	Yes			
Inverter Manufacturer and Model #:				
Inverter Power Rating: Inverter Voltage Rating:				
Power Rating of Energy Source (i.e., solar p	panels, wind turbine):			
Is Battery Storage Used: No Y	es If Yes, Battery Pov	ver Rating: KENTUCKY PUBL IC SERVICE COM MISSION		
Attach documentation showing that inverter the requirements of UL 1741.	is certified by a national	y recognized testing Coberatore to meet Executive Director		
Attach site drawing or sketch showing locameter, energy source, Cooperative accessit				
Attach single line drawing showing all electrenergy source including switches, fuses, because, equipment ratings, and transformer continuous.	reakers, panels, transf			

Expected Start-up Date: _

TERMS AND CONDITIONS:

- Cooperative shall provide the Member bi-directional metering services, without charge for standard metering equipment, through a standard kilowatt-hour metering system capable of measuring the flow of electricity in two (2) directions. If the Member requests or the QF requires any additional meter or special meters or distribution upgrades are needed to monitor the flow in each direction, such installations shall be at the Member's expense.
- 2) The Member shall install, operate, and maintain, at Member's sole cost and expense, any control, protective, or other equipment on the Member's system required by EKPC's Owner-member technical interconnection requirements based on IEEE 1547, the NEC, accredited testing laboratories such as Underwriters Laboratories, and the manufacturer's suggested practices for safe, efficient and reliable operation of the QF in parallel with Cooperative's electric system. The Member shall bear full responsibility for the installation, maintenance and safe operation of the QF. Upon reasonable request from Cooperative, the Member shall demonstrate QF compliance.
- 3) The QF shall comply with, and the Member shall represent and warrant its compliance with: (a) any applicable safety and power quality standards established by IEEE and accredited testing laboratories such as Underwriters Laboratories; (b) the NEC as may be revised from time to time; (c) EKPC's Owner-member's rules, regulations, and Service Regulations as contained in Cooperative's Retail Electric Tariff as may be revised from time to time with the approval of the Kentucky Public Service Commission ("Commission"); (d) the rules and regulations of the Commission, as such rules and regulations may be revised from time to time by the Commission; and (e) all other applicable local, state, and federal codes and laws, as the same may be in effect from time to time. Where required by law, Member shall pass an electrical inspection of the QF by a local authority having jurisdiction over the installation.
- 4) Any changes or additions to Cooperative's system required to accommodate the QF shall be considered excess facilities. Member shall agree to pay Cooperative for actual costs incurred for all such excess facilities prior to construction. The Member shall operate the QF in such a manner as not to cause undue fluctuations in voltage, intermittent load characteristics or otherwise interfere with the operation of Cooperative's electric system. At all times when the QF is being operated in parallel with Cooperative's electric system, the Member shall operate the QF in such a manner that no adverse impacts will be produced thereby to the service quality rendered by Cooperative to any of its other members or to any electric system interconnected with Cooperative's electric system. The Member shall agree that the interconnection and operation of the QF is secondary to, and shall not interfere with, Cooperative's ability to meet its primary responsibility of furnishing reasonably adequate service to its members.
- 5) The Member shall be responsible for protecting, at Member's sole cost and expense, the QF from any condition or disturbance on Cooperative's electric system, including, but not limited to, voltage sags or swells, system faults, outages, loss of a single phase of supply, equipment failures, and lightning or switching surges, except that Cooperative shall be responsible for repair of damage caused to the QF resulting solely from the negligence or willful misconduct on the part of Cooperative.
- 6) After initial installation, Cooperative shall have the right to inspect and/or witness commissioning tests, as specified in the Application and approval process. Following the initial testing and inspection of the QF and upon reasonable advance notice to the Member, Cooperative shall have access at reasonable times to the QF to perform reasonable on site inspections to verify that the installation, maintenance, and operation of the QF comply with the requirements of the CF COMMISSION

The cooperative shall furnish and install on the Member's side of the point of a marind wellpling a safety disconnect switch, which shall be capable of fully Cooperative's electric service under the full rated conditions (disconnect switch (EDS) shall be located adjacent to Coopera EDS shall be noted by placing a sticker on the meter, and metal enclosure which can be secured by a padlock. If the the meter, the Member shall be responsible for ensuring that the location of the EDS is properly and legibly identified for so long as the QF is operational. The disconnect switch shall be accessible to Cooperative personnel at all times. Cooperative may waive the requirement for an EDS for a QF at its sole discretion, and on a case-by-case basis, upon review of the QF operating parameters and if permitted under Cooperative's safety and operating pretocols.

- 8) Cooperative shall have the right and authority at Cooperative's sole discretion to isolate the QF or require the Member to discontinue operation of the QF if Cooperative believes that: (a) continued interconnection and parallel operation of the QF with Cooperative's electric system may create or contribute to a system emergency on either Cooperative's or the Member's electric system; (b) the QF is not in compliance with the requirements of this tariff, and the noncompliance adversely affects the safety, reliability, or power quality of Cooperative's electric system; or (c) the QF interferes with the operation of Cooperative's electric system. In non-emergency situations, Cooperative shall give the Member notice of noncompliance including a description of the specific noncompliance condition and allow the Member a reasonable time to cure the noncompliance prior to isolating the generating facilities. In emergency situations, when the Cooperative is unable to immediately isolate or cause the Member to isolate only the QF, Cooperative may isolate the Member's entire facility.
- 9) The Member shall agree that, without the prior written permission from Cooperative, no changes shall be made to the QF as initially approved. Increases in QF capacity will require a new "Application for Interconnection" which will be evaluated on the same basis as any other new application. Repair and replacement of existing QF components with like components that meet UL 1741 certification requirements and not resulting in increases in QF capacity is allowed without approval.
- 10) To the extent permitted by law, the Member shall protect, indemnify, and hold harmless EKPC and Cooperative and its directors, officers, employees, agents, representatives and contractors against and from all loss, claims, actions or suits, including costs and attorney's fees, for or on account of any injury or death of persons or damage to property caused by the Member or the Member's employees, agents, representatives and contractors in tampering with, repairing, maintaining, or operating the Member's QF or any related equipment or any facilities owned by EKPC or Cooperative except where such injury, death or damage was caused or contributed to by the fault or negligence of EKPC or Cooperative or its employees, agents, representatives, or contractors.

The Cooperative and EKPC shall use reasonable diligence to provide a constant and uninterrupted supply of electrical power and energy, but if such a supply should fail or be interrupted or become defective through an act of God, or the public enemy, or by accident, strikes or labor troubles, or by action of the elements or by a delay in securing right-of-way easement(s), or other permits needed, or for any other cause beyond the reasonable control of the Cooperative and/or EKPC, neither the Cooperative nor EKPC shall not be liable to the Member.

- 11) The Member shall maintain general liability insurance coverage (through a standard homeowner's, commercial, or other policy) for the generating facilities as set forth in the applicable tariff schedule. The Member shall, upon request, provide Cooperative with proof of such insurance at the time that application is made for net metering or anytime thereafter.
- 12) By entering into an Interconnection Agreement, or by inspection, if any, or by non-rejection, or by approval, or in any other way, EKPC or Cooperative does not give any warranty, express or implied, as to the adequacy, safety, compliance with applicable codes or requirements, or as to any other characteristics, of the QF equipment, controls, and protective relays and equipment.

A Member's QF is transferable to other persons or service locations only after notification to Cooperative has been made and verification that the installation is in compliance with this tariff. Upon written notification that an approved QF is being transferred to another person, member, or location, Cooperative will verify that the installation is in compliance with this tariff and provide written notification to the member(s) within 20 business days. If the installation is in compliance with this tariff, Cooperative will notify the Member in writing and light what rough the demonstration to place the facility in compliance

13) The Member shall retain any and all Renewable Energy C generated by their QF.

EFFECTIVE

Executive Director

2/1/2025

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

EFFECTIVE TERM AND TERMINATION RIGHTS

This Agreement becomes effective when executed by all parties (Member, EKPC, Cooperative) and shall continue in effect until terminated. This Agreement may be terminated as follows: (a) The Member may terminate this Agreement at any time by giving Cooperative at least sixty (60) days' written notice; (b) EKPC or Cooperative may terminate upon failure by the Member to continue ongoing operation of the QF; (c) any party may terminate by giving the other parties at least thirty (30) days prior written notice that another party is in default of any of the terms and conditions of the Agreement or the Rules or any rate schedule, tariff, regulation, contract, or policy of Cooperative so long as the notice specifies the basis for termination and there is opportunity to cure the default; (d) EKPC or Cooperative may terminate by giving the Member at least thirty (30) days' notice in the event that there is a material change in an applicable law, regulation or statute affecting this Agreement or which renders the system out of compliance with the new law or statute.

I hereby certify that, to the best of my knowledge, all of the information provided in this Application is true, and I agree to abide by all the Terms and Conditions included in this Application for Interconnection and the Cogeneration and Small Power Producer, 100kW or less from Co-Located Qualifying Facility Tariff.

Member Signature	Date	Title
Wellber Signature	Date	Title

KENTUCKY
PUBLIC SERVICE COMMISSION

Linda C. Bridwell Executive Director

EFFECTIVE

2/1/2025

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

EKPC AND COOPERATIVE APPROVAL AND AGREEMENT EXECUTION SECTION

When signed below by EKPC and the EKPC representatives, Application for Interconnection Application and as indicated below.											
Cooperative inspection and witness test:	Required	Waived									
days of completion of the QF installation Cooperative to occur within 10 busine agreed to by the Cooperative and the Operate the QF until such inspection	ation and schedule a less days of completion to Member. Unless and witness test is s	notify the Cooperative within 3 business an inspection and witness test with the on of the QF installation or as otherwise indicated below, the Member may not successfully completed. Additionally, the conditions in the Application have been									
Call Cooperative to schedule an inspection and witness test. Pre-Inspection operational testing not to exceed two hours: Allowed Not Allowed If inspection and witness test is waived, operation of the QF may begin when installation is complete, and all other terms and conditions in the Application have been met.											
						Additions, Changes, or Clarifications to Application Information:					
						None As specified here:					
EKPC:											
Approved by:											
Printed Name:	Title:										
Cooperative:											
Approved by:	Date:	KENTUCKY PUBLIC SERVICE COMMISSION									
Printed Name:	_ Title:	Linda C. Bridwell Executive Director Chale G. Andwell									
		EFFECTIVE 2/1/2025									